
LEGGARI

METALLIC EPOXY

Part B Safety Data Sheet

Table of Contents

Product Identification1
Hazard Identification1
Composition Information2
First-Aid Measures2
Fire-Fighting Measures3
Accidental Release Measures3
Handling and Storage4
Exposure Controls/Personal Protection4
Physical and Chemical Properties5
Stability and Reactivity5
Toxicological Information6
Ecological Information7
Disposal Considerations8
Transport Information8
Regulatory Information8
Other Information9





TRADE NAME (AS LABELED):	LEGGARI METALLIC EPOXY PART B
SUPPLIER/MANUFACTURER'S NAME:	LEGGARI PRODUCTS, LLC
ADDRESS:	3105 E AINSWORTH AVE WAREHOUSE 5, BAY 2 PASCO, WA 99301
TELEPHONE:	1-844-LEGGARI (534-4274)
EMAIL:	CUSTOMERSERVICE@LEGGARI.COM
EMERGENCY NUMBER:	800-424-9300



GHS CLASSIFICATION

Acute toxicity (oral):	Category 4
Acute toxicity (dermal):	Category 4
Acute toxicity (inhalation: vapor):	Category 4
Acute Toxicity (Inhalation: dust / mist):	Category 4
Reproductive toxicity:	Category 1B
Germ cell mutagenicity:	Category 2
Serious eye damage/irritation:	Category 1
Acute aquatic toxicity:	Category 1
Chronic aquatic toxicity:	Category 1
Serious eye damage/irritation:	Category 2A
Skin sensitization:	Category 1
Skin corrosion/irritation:	Category 2
Flammable liquids:	Category 4

GHS LABEL ELEMENTS



SIGNAL WORD

Danger

HAZARDOUS STATEMENTS

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H332 Harmful if inhaled.
H360 May damage fertility or the unborn child.
H341 Suspected of causing genetic defects.
H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H315 Causes skin irritation.
H227 Flammable liquid.

PRECAUTIONARY STATEMENTS

Prevention

P264 Wash hands and contact areas thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P273 Avoid release to the environment.
P272 Contaminated work clothing should not be allowed out of the workplace.
P210 Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. no smoking

Response

P301+P312 If swallowed: If you feel unwell, get medical help.
P330 Rinse mouth.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P321 Specific treatment
P362+P364 Take off contaminated clothing and wash before reuse.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for



breathing.

P308+P313 If exposed or concerned: Get medical advice / attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SAFETY DATA SHEET

P310 Immediately call a POISON CENTER or doctor/physician.

P391 Collect spillage.

P337+P313 If eye irritation persists, get medical attention / attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P370+P378 In case of fire: Use Suitable extinguishing media for extinction(Refer Section MSDS 5).

Storage

P405 Store by locking.

P403 Store in a well-ventilated place.

Disposal

P501 Dispose of the contents and containers in accordance with waste-related laws.

OTHER HAZARDS WHICH DO NOT RESULTS IN CLASSIFICATION:(NFPA CLASSIFICATION)

Chemical Name	Health	Flammability	Reactivity	GHS Classification
α -(2-Aminomethylethyl)- ω -(2-aminomethylethoxy) poly[oxy(methyl-1,2-ethanediyl)]	3	1	0	H302, H312, H318, H410
Benzyl alcohol	2	1	0	H302, H312, H317, H332
Dodecylphenol, branched	no data	no data	no data	H302, H312, H318, H360, H400, H410
1,3-Cyclohexanedimethanamine	3	1	1	H302, H312, H318, H410
Trade secret	no data	no data	no data	no data
Fatty acids, tail oil compds. with polyalkylenepolyamines	1	1	0	no data
Phenol	3	2	0	H302, H312, H315, H318, H319, H332, H341, H410

3 | COMPOSITION INFORMATION



Chemical Name	Trade names and Synonyms	CAS-NO	Content(%)
α -(2-Aminomethylethyl)- ω -(2-aminomethylethoxy) poly[oxy(methyl-1,2-ethanediyl)]	α -(2-Aminomethylethyl)- ω -(2-aminomethylethoxy)poly[oxy(methyl-1,2-ethanediyl)]	9046-10-0	48-58
Benzyl alcohol	Benzyl alcohol	100-51-6	12-24
Dodecylphenol, branched	Dodecylphenol, branched	121158-58-5	1-21
1,3-Cyclohexanedimethanamine	1,3-Cyclohexanedimethanamine	2579-20-6	6-16
Trade secret	-	-	1-11
Fatty acids, tail oil compds. with polyalkylenepolyamines	Fatty acids, tail oil compds. with polyalkylenepolyamines	68911-35-3	1-10
Phenol	Phenol	108-95-2	1-10

4 | FIRST-AID MEASURES



Eye Contact

Flush exposed eyes with plenty of water for more than 15minutes.

If irritation, pain, swelling, tears or glaring happens, take medical assistant immediately

Do not rub your eyes.

If you wear a contact lenses, remove them first.



Skin Contact

Remove exposed clothing, and wash off exposed area with soap and water.
If symptoms like irritation or pain occurs, take medical assistant immediately.
Wash off with soap and water for more than 15 minutes. And take medical assistant immediately.
If symptoms like redness or irritation occurs, take medical assistant immediately.
Wash carefully after handling.
Wear gloves while washing the patient and avoid contact with exposed clothes.

Inhalation

Avoid from exposure, and move into an area with fresh air.
If not breathing, perform the artificial respiration.
If inhaled or swallowed, do not perform the inhalation phase of breathing
Perform the artificial respiration, using the pocket mask with one way valves or other respiratory medical devices.
If hard to breathe, administering oxygen
Remove contaminated clothing and shoes, and isolate it.
Take a medical assistant immediately.

Ingestion Contact

Please be advised by doctor whether induction of vomit is demanded or not.
If vomiting occurs, keep head below hips to prevent aspiration into lungs.
If ingested large quantity, take medical assistant.
Take proper medical assistant by symptoms.
It is need to be considered that early removal of some ingested material by gastric lavage must be weighed against potential complications of bleeding or perforation.
Flush mouth with water immediately.

Notes to Physician

Notify medical personnel of contaminated situations and have them take appropriate protective measures.

5 | FIRE-FIGHTING MEASURES



Suitable (Unsuitable) extinguishing media

- Suitable extinguishing media : Powder extinguishing agent, gaseous Extinguishing Agent, and regular foam.
- (Unsuitable) extinguishing media : Avoid digestion using direct water.
Avoid use of waterjet as fire extinguishing agent.
Avoid extinguishing fire with halogenting agent.
- Case of big fire : Spread large amount of the extinguishing agent as a mist form with staying against wind.
Stay more than 800m away to avoid tank explosion.
Use appropriate protective device depending on the situation.

Specific hazards arising from the chemical

- Pyrolysate : Carbon dioxide, toxic carbon compounds/Nitrogen compounds/sulfur compounds
Irritating and highly toxic gases may produced during the combustion by pyrolysis or combustion itself.
- Fire and Explosion danger : Risk of medium-sized fire.
Aqueous (Exclude water-soluble one) products does not have risk of fire or explosion hazard by itself.
Vapor may be released to the ignition source and ignited.
May form explosive mixture at or above ignition point
Container may explode when heating
Leakages may fire / explosion hazard and could be easily ignited by heat, sparks or flames.
Vapors may explode indoors, outdoors, and in drains

Special protective actions for fire-fighters

-Personal Precautions, protective equipment : Gas mask or air respirator, heat resistant clothing, heat resistant helmet, heat resistant gloves, heat resistant boots
-Emergency procedures : Use appropriate extinguishing agents to catch fire.
If there is no risk, moving containers away from fire.
Cooling containers with water long time after extinguish fire.
Block the area except for the fire-suppression personnel.
Protect others from access and prohibit access to dangerous areas.
Tell the fire department, location of the fire and the hazardous features.
Use an unmanned fire extinguishing device, in case of large-sized fire. If not, leave it to burn.
Avoid inhalation of the substance or combustion products.
Do not approach if the tank is on fire.

6 | ACCIDENTAL RELEASE MEASURES



Personal Precautions, protective equipment and emergency procedures

-Personal Precautions, protective equipment : Appropriate protective equipment / protection / protective gloves



- Emergency procedures : Take an action to block the leakage if there is no risk.

Spray water to reduce amount of steam.

The operator should wear appropriate protective equipment (see section "8. Exposure Protection and Personal Protection") to avoid contact with the eyes and skin and inhalation.

Environmental precautions

- Atmosphere : Do install the local ventilations and full ventilation system

Using local ventilation to Minimize the exposure to worker.

- Soil : Trap spilled material at bottom in deep water pockets, excavated holding areas or within sand bag barriers.

Use absorbent to collect the appropriate container.

- Under water : Use absorbent to collect the appropriate container.

Collect spilled material with mechanic devices

Methods and materials for containment and cleaning up

- Small spill : Absorb for use sand or other non-combustible material.

Move to appropriate container for disposal of spilled material collected.

- Large spill : Prohibit access of unnecessary people, isolate hazard area to secure.

Notify to central and local government, when emissions are above regulation.

7 | HANDLING AND STORAGE



Precautions for safe handling

Keep or handle followed by Dangerous goods Safety Management Act

Ground for preventing the static discharge

Seal the container for minimizing the petroleum steam

Use local ventilations and a full ventilation system when handling

Wash carefully after handling.

Avoid contact with prohibited materials in mixture.

Do not handle until read and understood all safety precautions.

Do not inhale vapor for long-term or repeatedly.

Avoid contact with heat, sparks, flames or other sources of ignition.

Do not take contaminated clothings away from the work area.

Storing with combustible substances such as stained clothes or paper may cause fire by spontaneous ignition. Thus do not stack it, and keep it in a non-flammable container with cap filled with water and dispose it.

Conditions for safe storage, including any incompatibilities

Because of evaporation and contamination concerns, use airtight the container and store in a well-ventilated building.

Avoid direct sunlight while storing outdoors.

Storage temperature: 5 ~ 35 °C

Avoid strong oxidizing agents, acid.

Store at appropriate temperature according to the isolation location, freezing caution, high temperature body caution.

No open fire.

Store in a cool, dry, well-ventilated area.

Check periodically for leaks

Store in accordance with all current law and regulations.

Store in original container only.

Prevent static electricity and do not store near heat sources.

Collect in an airtight container to dispose.

Store away from waterworks and sewers.

8 | EXPOSURE CONTROLS/PERSONAL PROTECTION



Exposure Limits

* α -(2-Aminomethylethyl)- ω -(2-aminomethylethoxy)poly[oxy(methyl-1,2-ethanediy)]

- ACGIH : NO DATA

- Biological exposure indices : NO DATA

*Benzyl alcohol

- ACGIH : NO DATA

- Biological exposure indices : NO DATA

*Dodecylphenol, branched

- ACGIH : NO DATA

- Biological exposure indices : NO DATA

*1,3-Cyclohexanedimethanamine

- ACGIH : NO DATA

- Biological exposure indices : NO DATA

*Trade secret

- ACGIH : NO DATA



- Biological exposure indices : NO DATA
- *Fatty acids, tail oil compds. with polyalkylenepolyamines
- ACGIH : NO DATA
- Biological exposure indices : NO DATA
- *Phenol
- ACGIH : NO DATA
- Biological exposure indices : While urinating Phenol(with hydrolysis) : 250 mg/g creatinine(After work)

Engineering Controls :

- Do install the local ventilations and full ventilation system
- Using local ventilation to Minimize the exposure to worker.
- NO DATA
- NO DATA

Personal Protective Equipment

- Respiratory protection : Respirators should be authorized by Korea Occupational Safety and Health Agency
- Unknown concentration or other life threatening danger is imminent: Supplied air respirator(Hybrid airline respirator), and Self contained breathing apparatus(full face)
- Consider warning properties before use.
- Respiratory protection may be needed, while frequent use or heavy exposure.
- Respiratory protection is ranked in order from minimum to maximum
- If there is possibility of direct contact or exposure to these substances should wear a authorized dust-proof mask or respirator for organic compounds
- Eye protection : Install washing facilities and an emergency washing facilities close to workplace.
- Let workers do wear the safety glasses in case hazard caused by mist may be expected.
- If there is possibility of direct contact or exposure to these substances should wear authorized safty glasses or mask.
- Hand protection : If there is possibility of direct contact or exposure to these substances should wear authorized safty gloves for chemicals.
- Skin protection : If there is a possibility of direct contact or exposure to the substance Wear protective clothing for chemical substances

9 | PHYSICAL AND CHEMICAL PROPERTIES



Appearance:	liquid	Vapour pressure:	no data
Odor:	No data	Solubility:	no data
Odor Threshold:	no data	Vapour density:	no data
PH:	no data	Specific gravity:	0.9 +/-0.3
Melting point/Freezing point(°C):	no data	Partition coefficient of n-oc-tanol/water:	no data
Initial Boiling Point/Boiling Ranges(°C):	no data	Autoignition temperature(°C):	no data
Flash Point(°C):	89	Decomposition tempera-ture(°C):	no data
Evaporating Rate:	no data	Viscosity:	no data
Flammability (solid, gas):	no data	Molecular weight:	no data
Upper/Lower Flammability or explosive limits:	no data		

10 | STABILITY AND REACTIVITY



Chemical stability

NO DATA

Possibility of hazardous reactions

- Do not contact with heat, spark, flame or other flammable sources
- Avoid contaminants and friction

Conditions to avoid

Oxidation agent, metal and combustible materials



Hazardous decomposition products

Thermal decomposition products (carbon etc.,)

11 | TOXICOLOGICAL INFORMATION



Information on the likely routes of exposure

- Respiratory tracts : Adverse lung effects, Dyspnoea, Hypothermia, Vomiting
- Oral : Vomiting, Diarrhea, Stomach pain, Irregular heartbeat
- Skin : Irritation, Burn, Adverse nerve effects
- Eye : Irritation, eye damage

Delayed and immediate effects and also chronic effects from short and long term exposure

* α -(2-Aminomethylethyl)- ω -(2-aminomethylethoxy)poly[oxy(methyl-1,2-ethanediyl)]

- Acute toxicity
- Oral : LD50 = 242 mg/kg Rat
- Dermal : LD50 = 360 mg/kg rabbit
- Inhalation : LD50 = 360 mg/kg rabbit
- Skin corrosion/irritation : In case of contact with skin may cause burns
- Serious eye damage/irritation : Medium using rabbit eye irritation or irritation test results
- Respiratory sensitization : NO DATA
- Skin sensitization : NO DATA
- Carcinogenicity
- IARC : NO DATA
- OSHA : NO DATA
- ACGIH : NO DATA
- NTP : NO DATA
- EU CLP : NO DATA
- Germ cell mutagenicity : NO DATA
- Reproductive toxicity : NO DATA
- STOT-single exposure : Inhalation airway irritation
- STOT-repeated exposure : NO DATA
- Aspiration hazard : NO DATA

*Benzyl alcohol

- Acute toxicity
- Oral : LD50 = 1230 mg/kg Rat
- Dermal : LD50 = 2000 mg/kg Rabbit
- Inhalation : LD50 = 2000 mg/kg Rabbit
- Skin corrosion/irritation : usually stimulus (100mg, 24H, rabbit)
- Serious eye damage/irritation : Non-irritating (rabbit)
- Respiratory sensitization : NO DATA
- Skin sensitization : NO DATA
- Carcinogenicity
- IARC : NO DATA
- OSHA : NO DATA
- ACGIH : NO DATA
- NTP : NO DATA
- EU CLP : NO DATA
- Germ cell mutagenicity : NO DATA
- Reproductive toxicity : NO DATA
- STOT-single exposure : NO DATA
- STOT-repeated exposure : NO DATA
- Aspiration hazard : NO DATA

*Dodecylphenol, branched

- Acute toxicity
- Oral : NO DATA
- Dermal : NO DATA
- Inhalation : NO DATA
- Skin corrosion/irritation : NO DATA
- Serious eye damage/irritation : NO DATA
- Respiratory sensitization : NO DATA
- Skin sensitization : NO DATA
- Carcinogenicity
- IARC : NO DATA
- OSHA : NO DATA
- ACGIH : NO DATA
- NTP : NO DATA

EU CLP : NO DATA

- Germ cell mutagenicity : NO DATA
- Reproductive toxicity : NO DATA
- STOT-single exposure : NO DATA
- STOT-repeated exposure : NO DATA
- Aspiration hazard : NO DATA

*1,3-Cyclohexanedimethanamine

- Acute toxicity
- Oral : LD50 880 mg/kg Rat
- Dermal : LD50 100 mg/kg Rat
- Inhalation : LD50 100 mg/kg Rat
- Skin corrosion/irritation : NO DATA
- Serious eye damage/irritation : NO DATA
- Respiratory sensitization : NO DATA
- Skin sensitization : NO DATA

- Carcinogenicity

IARC : NO DATA

OSHA : NO DATA

ACGIH : NO DATA

NTP : NO DATA

EU CLP : NO DATA

- Germ cell mutagenicity : NO DATA
- Reproductive toxicity : NO DATA
- STOT-single exposure : NO DATA
- STOT-repeated exposure : NO DATA
- Aspiration hazard : NO DATA

*Trade secret

- Acute toxicity
- Oral : NO DATA
- Dermal : NO DATA
- Inhalation : NO DATA
- Skin corrosion/irritation : NO DATA
- Serious eye damage/irritation : NO DATA
- Respiratory sensitization : NO DATA
- Skin sensitization : NO DATA
- Carcinogenicity
- IARC : NO DATA
- OSHA : NO DATA
- ACGIH : NO DATA
- NTP : NO DATA
- EU CLP : NO DATA
- Germ cell mutagenicity : NO DATA
- Reproductive toxicity : NO DATA
- STOT-single exposure : NO DATA
- STOT-repeated exposure : NO DATA
- Aspiration hazard : NO DATA

*Fatty acids, tail oil compds. with polyalkylenepolyamines

- Acute toxicity
- Oral : NO DATA
- Dermal : NO DATA
- Inhalation : NO DATA
- Skin corrosion/irritation : NO DATA
- Serious eye damage/irritation : NO DATA
- Respiratory sensitization : NO DATA
- Skin sensitization : NO DATA
- Carcinogenicity
- IARC : NO DATA
- OSHA : NO DATA
- ACGIH : NO DATA
- NTP : NO DATA
- EU CLP : NO DATA
- Germ cell mutagenicity : NO DATA
- Reproductive toxicity : NO DATA
- STOT-single exposure : NO DATA
- STOT-repeated exposure : NO DATA



- Aspiration hazard : NO DATA
*Phenol
- Acute toxicity
Oral : LD50 317 mg/kg Rat
Dermal : LD50 670 mg/kg Rat
Inhalation : LD50 670 mg/kg Rat
- Skin corrosion/irritation : Rabbit Skin corrosion, and as reported in humans.
- Serious eye damage/irritation : Rabbits eyes appear in the full opacity of the cornea irritation test results.
- Respiratory sensitization : NO DATA
- Skin sensitization : Test using guinea pig negative result, the test results using a mouse negative
- Carcinogenicity
IARC : Group 3

OSHA : NO DATA
ACGIH : A4
NTP : NO DATA
EU CLP : NO DATA
- Germ cell mutagenicity : Chromosome aberration test positive
- Reproductive toxicity : Chromosome aberration test positive
- STOT-single exposure : NO DATA
- STOT-repeated exposure : Increased mortality resulting from cardiovascular disease in humans, vomiting, diarrhea, abdominal pain, hemolytic anemia, methemoglobin hyperlipidemia, renal degeneration, tubular necrosis, nipple cells appear bleeding. Reduced number of red blood cells in laborat
- Aspiration hazard : NO DATA

12 | ECOLOGICAL INFORMATION



Ecotoxicity

* α -(2-Aminomethylethyl)- ω -(2-aminomethylethoxy)poly[oxy(methyl-1,2-ethanediyl)]

- Fish : NO DATA
- Crustaceans : NO DATA
- Algae : NO DATA

Benzyl alcohol

- Fish : LC50 = 10 mg/ℓ 96 hr
- Crustaceans : NO DATA
- Algae : NO DATA

*Dodecylphenol, branched

- Fish : NO DATA
- Crustaceans : NO DATA
- Algae : NO DATA

*1,3-Cyclohexanedimethanamine

- Fish : LC50 90.772 mg/ℓ 96 hr (ECOSAR Class : Aliphatic Amines)
- Crustaceans : LC50 7.553 mg/ℓ 48 hr (ECOSAR Class : Aliphatic Amines)

- Algae : EC50 2.395 mg/ℓ 96 hr (ECOSAR Class : Aliphatic Amines)

*Trade secret

- Fish : NO DATA
- Crustaceans : NO DATA
- Algae : NO DATA

*Fatty acids, tail oil compds. with polyalkylenepolyamines

- Fish : NO DATA
- Crustaceans : LC50 1.198 mg/ℓ 48 hr Daphnia magna (predicted)
- Algae : EC50 0.899 mg/ℓ 96 hr (predicted)

*Phenol

- Fish : LC50 10.9 mg/ℓ 96 hr
- Crustaceans : LC50 3.1 mg/ℓ 48 hr
- Algae : EC50 370 mg/ℓ 96 hr

Persistence and degradability

* α -(2-Aminomethylethyl)- ω -(2-aminomethylethoxy)poly[oxy(methyl-1,2-ethanediyl)]

- Persistence : NO DATA
- Degradability : NO DATA

*Benzyl alcohol

- Persistence : log Kow = 1.1
- Degradability : NO DATA

*Dodecylphenol, branched

- Persistence : NO DATA
- Degradability : NO DATA

*1,3-Cyclohexanedimethanamine

- Persistence : log Kow 1.07
- Degradability : NO DATA

*Trade secret

- Persistence : NO DATA
- Degradability : NO DATA

*Fatty acids, tail oil compds. with polyalkylenepolyamines

- Persistence : log Kow 3.72 (Estimates)
- Degradability : NO DATA

*Phenol

- Persistence : log Kow 1.46

- Degradability : NO DATA

Bioaccumulative potential

* α -(2-Aminomethylethyl)- ω -(2-aminomethylethoxy)poly[oxy(methyl-1,2-ethanediyl)]

- Bioaccumulative potential : NO DATA
- Biodegradation : NO DATA

*Benzyl alcohol

- Bioaccumulative potential : NO DATA
- Biodegradation : Biodegradability = 94 (%) 28 day (Aerobic, Activated Sludge)

*Dodecylphenol, branched

- Bioaccumulative potential : NO DATA
- Biodegradation : NO DATA

*1,3-Cyclohexanedimethanamine

- Bioaccumulative potential : BCF 10
- Biodegradation : 0 (%) 28 day (OECD TG 301C)

*Trade secret

- Bioaccumulative potential : NO DATA
- Biodegradation : NO DATA

*Fatty acids, tail oil compds. with polyalkylenepolyamines

- Bioaccumulative potential : BCF 343.2 (Estimates)
- Biodegradation : NO DATA

*Phenol

- Bioaccumulative potential : NO DATA
- Biodegradation : 85 (%)

Mobility in soil

* α -(2-Aminomethylethyl)- ω -(2-aminomethylethoxy)poly[oxy(methyl-1,2-ethanediyl)]

-NO DATA

*Benzyl alcohol

-NO DATA

*Dodecylphenol, branched

-NO DATA

*1,3-Cyclohexanedimethanamine

- Koc 29.74

*Trade secret

-NO DATA

*Fatty acids, tail oil compds. with polyalkylenepolyamines

-NO DATA

*Phenol

-NO DATA

E. Other adverse effects

* α -(2-Aminomethylethyl)- ω -(2-aminomethylethoxy)poly[oxy(methyl-1,2-ethanediyl)]

-NO DATA

* Benzyl alcohol

- NO DATA

* Dodecylphenol, branched

- NO DATA

*1,3-Cyclohexanedimethanamine

-NO DATA

*Trade secret



-NO DATA
*Fatty acids, tail oil compds. with polyalkylenepolyamines
- NO DATA
*Phenol
-NO DATA

13 | DISPOSAL CONSIDERATIONS



Disposal methods

Disposal material should keep in the airtight container, and consign according to Waste Material Management Act

Pre-treat with oil-water separation method when it is available.

Recycle the recycleable materials, such as organic solvents, and then incinerate the residue at high temperature.

To prevent environmental pollution, dispose it to a licensed waste disposal company.

Special precautions for disposal

Business that discharge business waste shall process them selves, or delegate to waste treatment processor, recycler, or waste treatment operator.

Dispose of waste in accordance with all applicable laws and regulations.

14 | TRANSPORT INFORMATION



UN number(IMDG CODE/IATA DGR)

2735

Proper shipping name

AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.
(α -(2-Aminomethylethyl)- ω -(2-aminomethylethoxy)poly[oxy(methyl-1,2-ethanediyl)])

Hazard class

8

Packing group(IMDG CODE/IATA DGR)

III

Marine pollutant

be applicable

Special precautions for user related to transport or transportation measures

Local transport follows in accordance with Dangerous goods Safety Management

Package and transport follow in accordance with Department of Transportation

-EmS FIRE SCHEDULE : F-A

-EmS SPILLAGE SCHEDULE : S-B

15 | REGULATORY INFORMATION



* α -(2-Aminomethylethyl)- ω -(2-aminomethylethoxy)poly[oxy(methyl-1,2-ethanediyl)]

- Information of EU Classification

-Classification : NO DATA

-Risk Phrases : NO DATA

-Safety Phrase : NO DATA

- U.S. Federal regulations

-OSHA PROCESS SAFETY (29CFR1910.119) : notapplicable

-CERCLA Section 103 (40CFR302.4) : notapplicable

-EPCRA Section 302 (40CFR355.30) : notapplicable

-EPCRA Section 304 (40CFR355.40) : notapplicable

-EPCRA Section 313 (40CFR372.65) : notapplicable

- Rotterdam Convention listed ingredients : NO DATA

- Stockholm Convention listed ingredients : NO DATA

- Montreal Protocol listed ingredients : NO DATA

*Benzyl alcohol

- Information of EU Classification

-Classification : NO DATA

-Risk Phrases : NO DATA

-Safety Phrase : NO DATA

- U.S. Federal regulations

-OSHA PROCESS SAFETY (29CFR1910.119) : notapplicable

-CERCLA Section 103 (40CFR302.4) : notapplicable

-EPCRA Section 302 (40CFR355.30) : notapplicable

-EPCRA Section 304 (40CFR355.40) : notapplicable

-EPCRA Section 313 (40CFR372.65) : notapplicable

- Rotterdam Convention listed ingredients : NO DATA

- Stockholm Convention listed ingredients : NO DATA

- Montreal Protocol listed ingredients : NO DATA

-Dodecylphenol, branched

- Information of EU Classification

-Classification : NO DATA

-Risk Phrases : NO DATA

-Safety Phrase : NO DATA

- U.S. Federal regulations

-OSHA PROCESS SAFETY (29CFR1910.119) : NO DATA

-CERCLA Section 103 (40CFR302.4) : NO DATA

-EPCRA Section 302 (40CFR355.30) : NO DATA

-EPCRA Section 304 (40CFR355.40) : NO DATA

- EPCRA Section 313 (40CFR372.65) : NO DATA



- Rotterdam Convention listed ingredients : NO DATA
- Stockholm Convention listed ingredients : NO DATA
- Montreal Protocol listed ingredients : NO DATA
- *1,3-Cyclohexanedimethanamine
- Information of EU Classification
- Classification : NO DATA
- Risk Phrases : NO DATA
- Safety Phrase : NO DATA
- U.S. Federal regulations
- OSHA PROCESS SAFETY (29CFR1910.119) : notapplicable
- CERCLA Section 103 (40CFR302.4) : notapplicable
- EPCRA Section 302 (40CFR355.30) : notapplicable
- EPCRA Section 304 (40CFR355.40) : notapplicable
- EPCRA Section 313 (40CFR372.65) : notapplicable
- Rotterdam Convention listed ingredients : NO DATA
- Stockholm Convention listed ingredients : NO DATA
- Montreal Protocol listed ingredients : NO DATA
- *Trade secret
- Information of EU Classification
- Classification : NO DATA
- Risk Phrases : NO DATA
- Safety Phrase : NO DATA
- U.S. Federal regulations
- OSHA PROCESS SAFETY (29CFR1910.119) : NO DATA
- CERCLA Section 103 (40CFR302.4) : NO DATA
- EPCRA Section 302 (40CFR355.30) : NO DATA
- EPCRA Section 304 (40CFR355.40) : NO DATA
- EPCRA Section 313 (40CFR372.65) : NO DATA
- Rotterdam Convention listed ingredients : NO DATA
- Stockholm Convention listed ingredients : NO DATA

- Montreal Protocol listed ingredients : NO DATA
- *Fatty acids, tail oil compds. with polyalkylenepolyamines
- Information of EU Classification
- Classification : NO DATA
- Risk Phrases : NO DATA
- Safety Phrase : NO DATA
- U.S. Federal regulations
- OSHA PROCESS SAFETY (29CFR1910.119) : NO DATA
- CERCLA Section 103 (40CFR302.4) : NO DATA
- EPCRA Section 302 (40CFR355.30) : NO DATA
- EPCRA Section 304 (40CFR355.40) : NO DATA
- EPCRA Section 313 (40CFR372.65) : NO DATA
- Rotterdam Convention listed ingredients : NO DATA
- Stockholm Convention listed ingredients : NO DATA
- Montreal Protocol listed ingredients : NO DATA
- *Phenol
- Information of EU Classification
- Classification : NO DATA
- Risk Phrases : NO DATA
- Safety Phrase : NO DATA
- U.S. Federal regulations
- OSHA PROCESS SAFETY (29CFR1910.119) : notapplicable
- CERCLA Section 103 (40CFR302.4) : 453.599 kg 1000 lb
- EPCRA Section 302 (40CFR355.30) : pertinent
- EPCRA Section 304 (40CFR355.40) : pertinent
- EPCRA Section 313 (40CFR372.65) : pertinent
- Rotterdam Convention listed ingredients : NO DATA
- Stockholm Convention listed ingredients : NO DATA
- Montreal Protocol listed ingredients : NO DATA

16 | OTHER INFORMATION



Reference

- The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.

- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS,NLM, SIDS, IPCS

Issue date

2026-06-1

Revision number and Last date revised :

2026-06-1

Prepared by:
Revision Date:

LEGGARI PRODUCTS LLC
JUNE 1, 2026

DISCLAIMER:

Leggari Products, LLC believes, to the best of its knowledge, the information contained herein to be accurate and reliable as of the date of this safety data sheet. However, because the conditions of handling, use, and storage of these materials are beyond our control, we assume no responsibility or liability for personal injury or property damage incurred by the use of these materials. Leggari Products, LLC makes no warranty, expressed or implied, regarding the accuracy or reliability of the data or results obtained from their use. All materials may present unknown hazards and should be used with caution. The information and recommendations in this material safety data sheet are offered for the users' consideration and examination. It is the responsibility of the user to determine the final suitability of this information and to comply with all applicable international, federal, state, and local laws and regulations.

